

Manufacturer: **PROTEKTOR Spółka Akcyjna**

ul. Vetterów 24a-24b,

20-277 Lublin

Products: **Occupational footwear, antistatic: GROM 01-228742;**

GROM 01-228745; GROM 01-110744; KANSEN 01-000750

The product satisfies the applicable essential health and safety requirements in accordance with Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC, as well as the requirements of standards harmonized: **EN ISO 20347:2022** "Personal protective equipment - Occupational footwear."

Category of footwear:

GROM 01-228742: 07L FO CI SR

GROM 01-228745: 07L FO CI SR

GROM 01-110744: 07L FO CI SR

KANSEN 01-000750: 01 PL FO CI WR SR

01 – basic requirements including slip resistance on ceramic tile floor with sodium lauryl sulphate solution and closed seat region, energy absorption of seat region, antistatic properties

07L – basic requirements including slip resistance on ceramic tile floor with sodium lauryl sulphate solution and closed seat region, energy absorption of seat region, antistatic properties, water penetration and absorption, perforation resistance (non-metal insert type PL), cleated outsole, water resistance

PL – perforation resistance (non-metal insert type PL)

FO – resistance to fuel oil

CI – cold insulation of sole complex

WR – water resistance

SR – slip resistance on ceramic tile floor with glycerine

The attachment No. Z1/097/2025/PPE/1439/B is an integral part of EU type-examination certificate. The information laid down in the attachments are the basis for the issuance of the present certificate.

Konke-Kozioł

Department of Textile and Leather Products Certification TEXTIL-CERT

Chief Certification Specialist

Weronika Konka-Kozioł

Date of first issue: 21.05.2025

Date of issue: 21.05.2025

Date of expiry: 20.05.2030

Dietsch Agnieszka

Lukasiewicz Research Network – Lodz Institute of Technology

Director

Marcin Górski



1. Description of the personal protective equipment

PPE:		occupational footwear, antistatic			
Identification type:		GROM 01-228745	GROM 01-228742	GROM 01-110744	KANSEN 01-000750
Design:		C, half knee boot - according to EN ISO 20347:2022 p. 5.2			B, ankle boot
Mounting system:		direct injection PU/PU			
Size:		36÷48 (French size)			
Colur	- upper	brown	black		
	- outsole	black	black		
Classification:		I - according to EN ISO 20347:2022 p. 4			
Risk category:		II - according to Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC – Annex I			

2. Photo of the personal protective equipment:

GROM 01-228742



GROM 01-228745



GROM 01-110744



KANSEN 01-000750



Outsole PECTUS PU/PU



3. Characteristic of the personal protective equipment

MATERIALS USED IN GROM 01-228742:	
Vamp, quarter, counter, facing	smooth, grain cattle hide/ smooth, cattle split hide covered
Shaft, tongue	upper materials
Collar	suede split w/r / upper materials
Vamp lining, quarter lining	lining materials
Insole	perforation-resistant material + non-woven fabric
Insock	ortopedic / carbon / double layered molded
Outsole	PU/PU
MATERIALS USED IN GROM 01-228745:	
Vamp, quarter, counter, facing	smooth, cattle split hide covered
Shaft, tongue	upper materials
Collar	suede split w/r
Vamp lining, quarter lining	lining materials
Insole	perforation-resistant material + non-woven fabric
Insock	ortopedic / carbon / double layered molded
Outsole	PU/PU
MATERIALS USED IN GROM 01-110744:	
Vamp, upper tongue, counter, inserts	smooth, grain cattle hide / smooth, cattle split hide covered
Quarters	upper materials
Collar, tongue	suede split w/r / upper materials
Vamp lining, quarter lining	lining materials
Insole	perforation-resistant material + non-woven fabric
Insock	ortopedic / carbon / double layered molded
Outsole	PU/PU
MATERIALS USED IN KANSEN 01-000750:	
Vamp, reinforcement of quarter, inserts, counter	smooth, grain cattle hide / smooth, cattle split hide covered
Quarters	upper materials
Collar, tongue	suede split w/r / upper materials
Vamp lining, quarter lining	lining materials
Insole	perforation-resistant material + non-woven fabric
Insock	ortopedic / carbon / double layered molded
Outsole	PU/PU
Informacje o zastosowanych materiałach ujęte są w dokumentacji technicznej producenta	

PROTECTIVE PROPERTIES

Occupational footwear: GROM 01-228742; GROM 01-228745; GROM 01-110744 meets requirements of the EN ISO 20347:2022 standard:

O7L – basic requirements including slip resistance on ceramic tile floor with NaLS and closed heel area, energy absorption of seat region, antistatic properties, water penetration and water absorption, perforation resistance of non - metal insert type “PL”, cleated outsole, water resistance

CI – cold insulation of sole complex

FO – resistance to fuel oil

SR – slip resistance on ceramic tile floor with glycerine

Occupational footwear: KANSEN 01-000750 meets requirements of the EN ISO 20347:2022 standard:

O1 – basic requirements including slip resistance on ceramic tile floor with NaLS and closed heel area, energy absorption of seat region, antistatic properties

PL – perforation resistance of non - metal insert type “PL”

FO – resistance to fuel oil

CI – cold insulation of sole complex

WR – water resistance of footwear

SR – slip resistance on ceramic tile floor with glycerine

4. Basic of the conformity assessment

REGULATION

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

STANDARDS

EN ISO 20347:2022 Personal protective equipment. Occupational footwear

EN ISO 20344:2021 Personal protective equipment. Test methods for footwear

TESTS AND CERTIFICATES

Document No.	Date	Identification of the institution issuing the document
127/2015/LG	17.06.2015	Tannery Laboratory – Institute of Leather Industry; Lodz, Poland
234/2015/LG	07.10.2015	
235/2015/LG	07.10.2015	
28/2016/LG	15.02.2016	
170/2016/LG	20.06.2016	
337/2017/LG	16.11.2017	
496/2018/LG	12.12.2018	
110/2019/LG	01.03.2019	
596/2019/LG	27.09.2019	
751/2019/LG	05.12.2019	Tannery Laboratory – Łukasiewicz Research Network – Institute of Leather Industry; Lodz, Poland
762/2019/LG	16.12.2019	
39/2020/LG	07.02.2020	
120/2020/LG	24.03.2020	
121a/2020/LG	24.03.2020	
161a/2020/LG	29.04.2020	
277/2020/LG	21.07.2020	
412/2020/LG	11.09.2020	
50/2021/LG	05.03.2021	
155/2021/LG	24.06.2021	Leather and Leather – like Materials Research – Łukasiewicz Research Network – Lodz Institute of Technology; Lodz, Poland
260/2021/LG	24.09.2021	
312/2022/BL-BS	02.11.2022	
323/2023/BL-BS	27.07.2023	
364/2023/BL-BS	06.09.2023	

367/2023/BL-BS	14.09.2023	
427/2023/BL-BS	03.10.2023	
428/2024/BL-BS	05.11.2024	
97/2025/BL-BS	14.03.2025	
114/2025/BL-BS	24.03.2025	
205/2015/LO	04.01.2016	Footwear Laboratory, Łukasiewicz Research Network – Institute of Leather Industry; Lodz, Poland
199/2015/LO	11.12.2015	
128/2019/LO	01.08.2019	
64/2020/LO	21.04.2020	
70/2020/LO	08.05.2020	
72/2020/LO	28.04.2020	
210/2021/LO	23.12.2021	
76/2022/BL-BO	26.05.2022	Footwear Research Laboratory, Łukasiewicz Research Network – Lodz Institute of Technology; Lodz, Poland
156/2023/BL-BO	25.08.2023	
203/2023/BL-BO	19.09.2023	
173/2024/BL-BO	31.10.2024	
54/2025/BL-BO	20.03.2025	
70/2025/BL-BO	28.03.2025	
76/2025/BL-BO	26.05.2025	CIOP-PIB; Department of Personal Protective Equipment; Hand and Food Protection; Warsaw, Poland
1A/884/PB/2024/NO	04.11.2024	
1NA/884/PB/2024/NO	04.11.2024	
1710739-09-00-01	25.01.2018	
1800745-01-00-01a	08.03.2018	
2005950-02-00-01/03	17.08.2020	
2201917-02-00-01	04.03.2022	INESCOP; Poligonto Industrial Campo Alto. C/ Alemania; Alicante, Spain
R-15104911	16.10.2015	
C-20069853V1	26.06.2020	
2018/1609-1-RP-1	15.06.2018	CIMAC; Centro Tessile Cotoniero Abbigilamento S.P.A; Milano, Italy
SE-06287	13.07.2021	CTC; Arnedo; La Rioja, Spain
4133522/E	14.09.2022	RCT: Pastrengo, Italy

TECHNICAL DOCUMENTATION ATTACHED TO THE APPLICATION FOR THE EU TYPE-EXAMINATION

OTHER INFORMATIONS

The EU-type examination certificate applies only to the product model submitted for assessment.

The manufacturer or the authorised representative shall inform Notified Body (NB 1439) of all modifications to the approved type and all modifications of the technical documentation that may affect the conformity of the PPE with the applicable health and safety requirements or the conditions of validity of the certificate.

Without the written consent of Notified Body (NB 1439), the certificate with attachments may not be reproduced other than in its entirety.

Lodz, 21.05.2025 r.



Department of Textile and Leather Products Certification TEXTIL-CERT

Deputy Head

Agnieszka Pietrzak MSc. Eng.